Index of Authors

ABE, N. *See* NONAKA, N.
AHLBORG, N. *See* SIDDIQUE, A. B.
ANDERSON, S. *See* RIENGROJPITAK, S.
ANDERSON, T. J. C. *See* WEIDONG PENG
AREVALO, J. *See* DUJARDIN, J. C.
AREVALO, J. *See* VICTOIR, K.
ASHOUR, E. *See* SHAKER, Y. M.

BAIRDEN, K. *See* STEAR, M. J.
BAKKE, T. A. *See* HARRIS, P. D.
BANNISTER, L. H. *See* FOWLER, R. E.
BAÑULS, A. L. *See* DUJARDIN, J. C.
BAÑULS, A. L. *See* VICTOIR, K.
BARTON, D. P. Dynamics of natural infections of *Rhabdias* cf. hylae (Nematoda) in *Bufo marinus* (Amphibia) in Australia, 505
BASCAL, Z. A. *See* SKINNER, T. M.
BERALDO, W. T. *See* CARVALHO, W. S.
BERZINS, K. *See* SIDDIQUE, A. B.
BISHOP, R. P. *See* SKILTON, R. A.
BISHOP, S. C. *See* STEAR, M. J.
BOES, J., MEDLEY, G. F., ERIKSEN, L., ROEPSTORFF, A. and NANSEN, P. Distribution of *Ascaris suum* in experimentally and naturally infected pigs and comparison with *Ascaris lumbricoides* infections in humans, 589
BRAITHWAITE, V. A., SALKELD, D. J., MCADAM, H. M., HOCKINGS, C. G., LUDLOW, A. M. and READ, A. F. Spatial and discrimination learning in rodents infected with nematode *Strongyloides ratti*, 145
BRÖKER, B. M. *See* FICH, C.
BROWN, C. G. D. *See* KIRVAR, E.
BUMSTEAD, J. M., TOPHAM, S. J. and TOMLEY, F. M. Inhibition of the development of *Eimeria tenella* in cultured bovine kidney cells by a soluble factor produced by peripheral blood lymphocytes from immune chickens, 39
BUNDY, D. A. P. *See* CURRIE, R. M.
BURNELL, A. M. *See* O'LEARY, S. A.
BUTTERWORTH, A. E. *See* OUMA, J. H.

CAPRON, A. *See* PEREIRA, C.
CARMONA, C. *See* PIACENZA, L.
CARRASCO, H. J. *See* STOTHARD, J. R.
CARVALHO, W. S., LOPES, C. T., JULIANO, L., COELHO, P. M. Z., CUNHA-MELO, J. R., BERALDO, W. T. and PESQUERO, J. L. Purification and partial characterization of kininogenase activity from *Schistosoma mansoni* adult worms, 311
CATTASS, C. R. *See* PAIVA, C. N.
CHANDIWANA, S. K. *See* WOOLHOUSE, M. E. J.
CHATTERJEE, S. *See* NGONSEU, E.
CHENG, N. A. B. Y. *See* XHU, X. Q.
CHILTON, N. B. *See* ZHU, X. Q.
CLINCH, K. *See* KANG, E. W.
COELHO, P. M. Z. *See* CARVALHO, W. S.
CONRATHS, F. J. *See* HINTZ, M.
COOPER, E. S. *See* CURRIE, R. M.
CORNETTE, J. *See* PEREIRA, C.
CORPE, E. *See* THOMPSON, P. M.
COSTA, D. A. *See* PAIVA, C. N.
CUNHA-MELO, J. R. *See* CARVALHO, W. S.
CURRIE, R. M., NEEDHAM, C. S., DRAKE, L. J., COOPER, E. S. and BUNDY, D. A. P. Antigenic variability in *Trichuris trichiura* populations, 347

DARBY, J. M. *See* EY, P. L.
DARGANTES, A. *See* VAN AKEN, D.
DE DONCKER, S. *See* VICTOIR, K.
DEPLAZES, P. *See* MORGAN, U. M.
DIETZ, K. *See* WOOLHOUSE, M. E. J.
DITRICH, O. *See* ENRIQUEZ, F. J.
DOBSON, A. P. *See* SHAW, D. J.
DOENHOFF, M. J. *See* PEREIRA, C.
DOURY, J. C. *See* PRADINES, B.
DRAKE, L. J. *See* CURRIE, R. M.
DRAZ, H. M. *See* SHAKER, Y. M.
DUJARDIN, J. C., BAÑULS, A. L., DUJARDIN, J. P., AREVALO, J., TIBAYRENC, M. and LE RAY, D. Comparison of chromosome and isoenzyme polymorphism in geographical populations of *Leishmania* (*Viannia*) *Peruviana*, 547
DUJARDIN, J. P. *See* DUJARDIN, J. C.
DUJARDIN, J. C. *See* VICTOIR, K.
DUNN, A. M. and RIGAUD, T. Horizontal transfer of parasitic sex ratio distorters between crustacean hosts, 15
DUNN, A. M., TERRY, R. S. and TANEYHILL, D. E. Within-host transmission strategies of transovarial, feminizing parasites of *Gammarus duebeni*, 21
DUNNE, D. W. *See* OUMA, J. H.
DURAND, P. *See* RENAUD, F.
EDA, S. and SHERMAN, I. W. The effects of chemical modification on the adhesion of *Plasmodium falciparum* – infected and uninfected erythrocytes, 533
ELARD, L., SAUVE, C. and HUMBERT, J. F. Fitness of benzimidazole-resistant and -susceptible worms of *Teladorsagia circumcincta*, a nematode parasite of small ruminants, 571
ELLIOT, A. *See* MORGAN, U. M.
EL-SHOBAKI, F. A. *See* SHAKER, Y. M.
ENRIQUEZ, F. J., WAGNER, G., FRAGOSO, M. and DITRICH, O. Effects of an anti-exospore monoclonal antibody on microsporidial development *in vitro*, 515
ERIKSEN, L. *See* BOES, J.
ETARD, J.-F. *See* WOOLHOUSE, M. E. J.
EY, P. L., DARBY, J. M. and MAYRHOFER, G. Comparison of *tsa 417*-like variant-specific surface protein (VSP) genes in *Giardia intestinalis* and identification of a novel locus in genetic Group II isolates, 445
FALLON, P. G. *See* PEREIRA, C.

FERNANDEZ, M., LITTLEWOOD, D. T. J., LATORRE, A., RAGA, J. A. and ROLLINSON, D. Phylogenetic relationships of the family Campulidae (Trematoda) based on 18S rRNA sequences, 383
FICH, C., KLAUENBERG, U., FLEISCHER, B. and BRÖKER, B. M. Modulation of enzymatic activity of Src-family kinases in bovine T cells transformed by *Theileria parva*, 107
FLEISCHER, B. *See* FICH, C.
FLORES, A. *See* VAN AKEN, D.
FOLSTAD, I. *See* NILSSEN, A. C.
FOOKES, R. E. *See* FOWLER, R. E.
FORBES, D. A. *See* MORGAN, U. M.
FOWLER, R. E., FOOKES, R. E., LAVIN, F., BANNISTER, L. H. and MITCHELL, G. H. Microtubules in *Plasmodium falciparum* merozoites and their importance for invasion of erythrocytes, 425
FRAGOSO, M. *See* ENRIQUEZ, F. J.
FRAME, I. A. *See* STOTHARD, J. R.
FULFORD, A. J. C. *See* OUMA, J. H.
FURNEAUX, R. H. *See* KANG, E. W.

GANNICOTT, A. M. and TINSLEY, R. C. Environmental effects on transmission of *Discocotyle sagittata* (Monogenea): egg production and development, 499
GANNICOTT, A. M. and TINSLEY, R. C. Larval survival characteristics and behaviour of the gill monogenean *Discocotyle sagittata*, 491
GASSER, R. B. *See* XHU, X. Q.

GERO, A. M. *See* KANG, E. W.
GETTINBY, G. *See* STEAR, M. J.
GEYER, R. *See* HINTZ, M.
GOBRIGHT, E. *See* SKILTON, R. A.
GOÑI, F. *See* PIACENZA, L.
GRAVENOR, M. B. and KWAITKOWSKI, D. An analysis of the temperature effects of fever on the intra-host population dynamics of *Plasmodium falciparum*, 97
GRAVENOR, M. B. and LLOYD, A. L. Reply to: Models for the in-host dynamics of malaria revisited: errors in some basic models lead to large over-estimates of growth rates, 409
GRENFELL, B. T. *See* SHAW, D. J.
GUSTAFSSON, M. K. S. *See* LINDHOLM, A. M.

HALTON, D. W. *See* MAIR, G. R.
HAMERS, R. *See* VICTOIR, K.
HARRIS, P. D., SOLENG, A. and BAKKE, T. A. Killing of *Gyrodactylus salaris* (Platyhelminthes, Monogenea) mediated by host complement, 137
HARVEY, J. E. *See* KANG, E. W.
HASTINGS, I. M. and MACKINNON, M. J. The emergence of drug-resistant malaria, 411
HAUGERUD, R. E. *See* NILSSEN, A. C.
HERTZBERG, H. *See* MORGAN, U. M.
HINKEL, H. H. *See* JACKSON, J. A.
HINTZ, M., SCHARES, G., TAUBERT, A., GEYER, R., ZAHNER, H., STIRM, S. and CONRATHS, F. J. Juvenile female *Litomosoides sigmodontis* produce an excretory/secretory antigen (Juv-p120) highly modified with dimethylaminoethanol, 265
HOCKINGS, C. G. *See* BRAITHWAITE, V. A.
HOLDEN-DYE, L. *See* SKINNER, T. M.
HUMBERT, J. F. *See* ELARD, L.

IAMS, K. *See* SKILTON, R. A.
IMHOOF, B. and SCHMID-HEMPEL, P. Single-clone and mixed-clone infections versus host environment in *Crithidia bombi* infecting bumblebees, 331

JACKSON, J. A., TINSLEY, R. C. and HINKEL, H. H. Mutual exclusion of congeneric monogenean species in a space-limited habitat, 563
JACOBS, D. E. *See* ZHU, X. Q.
JACOBSON, R. L. *See* SCHLEIN, Y.
JANSSEN, C. S., TETLEY, L. and KENNEDY, M. W. Developmental activation of infective *Trichinella spiralis* larvae, 363
JAROSZ, J. Active resistance of entomophagous rhabditid *Heterorhabditis bacteriophora* to insect immunity, 201
JOHNSTON, C. F. *See* MAIR, G. R.
JOURDANE, J. *See* TROUVÉ, S.
JULIANO, L., *See* CARVALHO, W. S.

KAMEL, R. *See* SHAKER, Y. M.
KANE, R. A. and ROLLINSON, D. Comparison of the intergenic spacer and 3′ end regions of the large subunit (28S) ribosomal RNA gene from three species of *Schistosoma*, 235
KANEDA, Y. *See* STAHL, W.
KANG, E. W., CLINCH, K., FURNEAUX, R. H., HARVEY, J. E., SCHOFIELD, P. J. and GERO, A. M. A novel and simple colorimetric method for screening *Giardia intestinalis* and anti-giardial activity *in vitro*, 229
KARIUKI, H. C. *See* OUMA, J. H.
KATZER, F. *See* KIRVAR, E.
KENNEDY, M. W. *See* JANSSEN, C. S.
KENNEDY, M. W. *See* WEIDONG PENG
KHATTAB, H. M. *See* SHAKER, Y. M.
KIMANI, G. *See* OUMA, J. H.
KIMIYA, M. *See* NONAKA, N.
KIRVAR, E., WILKIE, G., KATZER, F. and BROWN, C. G. D. *Theileria lestoquardi* – maturation and quantification in *Hyalomma anatolicum anatolicum* ticks, 255
KLAUENBERG, U. *See* FICH, C.
KOMBILA, M. *See* PRADINES, B.
KUSEL, J. R. *See* O'LEARY, S. A.
KWAITKOWSKI, D. *See* GRAVENOR, M. B.

LACLETTE, J. P. *See* RODRÍGUEZ-CONTRERAS, D.
LANDA, A. *See* RODGRÍGUEZ-CONTRERAS, D.
LATORRE, A. *See* FERNANDEZ, M.
LAVIN, F. *See* FOWLER, R. E.
LEBEAU, C. *See* PRADINES, B.
LE RAY, D. *See* DUJARDIN, J. C.
LE RAY, D. *See* VICTOIR K.
LINDHOLM, A. M., REUTER, M. and GUSTAFSSON, M. K. S. The NADPH-diaphorase staining reaction in relation to the aminergic and peptidergic nervous system and the musculature of adult *Diphyllobothrium dendriticum*, 283
LITTLEWOOD, D. T. J. *See* FERNANDEZ, M.
LLANOS-CUENTAS, A. *See* VICTOIR, K.
LOPES, C. T. *See* CARVALHO, W. S.
LUDLOW, A. M. *See* BRAITHWAITE, V. A.
LUNT, G. G. *See* SKINNER, T. M.
LYMBERY, A. J. Combining data from morphological traits and genetic markers to determine transmission cycles in the tape worm *Echinococcus granulosus*, 185

MABIKA MAMFOUMBI, M. *See* PRADINES, B.
MACKINNON, M. J. *See* HASTINGS, I. M.
MACKLIN, M. *See* SKILTON, R. A.
MAIR, G. R., MAULE, A. G., SHAW, C., JOHNSTON, C. F. and HALTON, D. W. Gross anatomy of the muscle systems of *Fasciola hepatica* as visualized by phalloidin-fluorescence and confocal microscopy, 75
MAULE, A. G. *See* MAIR, G. R.
MAYRHOFER, G. *See* EY, P. L.
MCADAM, H. M. *See* BRAITHWAITE, V. A.
MCKELLAR, Q. A. *See* STEAR, M. J.
MEAD, J. R. *See* XIANGDONG, YOU
MEDLEY, G. F. *See* BOES, J.
MEDLEY, G. F. *See* O'CALLAGHAN, C. J.
MILES, M. A. *See* STOTHARD, J. R.
MITCHELL, G. H. *See* FOWLER, R. E.
MORGAN, U. M., SARGENT, K. D., DEPLAZES, P., FORBES, D. A., SPANO, F., HERTZBERG, H., ELLIOT, A. and THOMPSON, R. C. A. Molecular characterization of *Cryptosporidium* from various hosts, 31
MOUROU MBINA, M. *See* PRADINES, B.
MUCHEMI, G. *See* OUMA, J. H.
MUSOKE, A. J. *See* SKILTON, R. A.

NAGANO, I. *See* WU, Z.
NANSEN, P. *See* BOES, J.
NDHLOVU, P. D. *See* WOOLHOUSE, M. E. J.
NEEDHAM, C. S. *See* CURRIE, R. M.
NGONSEU, E., CHATTERJEE, S. and WERY, M. Blocked hepatic-stage parasites and decreased susceptibility to *Plasmodium berghei* infections in BALB/c mice, 419
NILSSEN, A. C., HAUGERUD, R. E. and FOLSTAD, I. No interspecific covariation in intensities of macroparasites of reindeer, *Rangifer tarandus* (L.), 273
NKONGE, C. *See* SKILTON, R. A.
NOEL, S. *See* VICTOIR, K.
NONAKA, N., TSUKADA, H., ABE, N., OKU, Y. and KIMIYA, M. Monitoring of *Echinococcus multilocularis* infection in red foxes in Shiretoko, Japan, by coproantigen detection, 193
NOWELL, F. *See* SHEHU, K.

O'CALLAGHAN, C. J., MEDLEY, G. F., PETER T. F. and PERRY, B. D. Investigating the epidemiology of heartwater (*Cowdria ruminantium* infection) by means of a transmission dynamics model, 49
OKU, Y. *See* NONAKA, N.

O'LEARY, S. A., BURNELL, A. M. and KUSEL, J. R. Biophysical properties of the surface of dessication tolerant mutants and parental strain of the entomopathogenic nematode *Heterorhabditis megidis* (strain UK 211), 333
OUMA, J. H., FULFORD, A. J. C., KARIUKI, H. C., KIMANI, G., STURROCK, R. F., MUCHEMI, G., BUTTERWORTH, A. E. and DUNNE, D. W. The development of schistosomiasis mansoni in an immunologically naive immigrant population in Masongaleni, Kenya, 123
OWONO MEDANG, M. *See* PRADINES, B.

PAIVA, C. N., SOUTO-PADRON, T., COSTA, D. A. and GATTASS, C. R. High expression of a functional cruzipain by a non-infective and non-pathogenic *Trypanosoma cruzi* clone, 483
PARK, M. *See* STEAR, M. J.
PARZY, D. *See* PRADINES, B.
PEREIRA, C., FALLON, P. G., CORNETTE, J., CAPRON, A., DOENHOFF, M. J. and PIERCE, R. J. Alterations in cytochrome-*c* oxidase expression between praziquante-resistant and susceptible strains of *Schistosoma mansoni*, 63
PERLMANN, P. *See* SIDDIQUE, A. B.
PERRY, B. D. *See* O'CALLAGHAN, C. J.
PESQUERO, J. L. *See* CARVALHO, W. S.
PETER, T. F. *See* O'CALLAGHAN, C. J.
PIACENZA, L., RADI, R., GOÑI, F. and CARMONA, C. CuZn superoxide dismutase activities from *Fasciola hepatica*, 555
PIERCE, R. J. *See* PEREIRA, C.
PRADINES, B., MABIKA MAMFOUMBI, M., PARZY, D., OWONO MEDANG, M., LEBEAU, C., MOUROU MBINA, J. R., DOURY, J. C., and KOMBILA, M. *In vitro* susceptibility of Gabonese wild isolates of *Plasmodium falciparum* to artemether, and comparison with chloroquine, quinine, halofantrine and amodiaquine, 541

RADI, R. *See* PIACENZA, L.
RAGA, J. A. *See* FERNANDEZ, M.
READ, A. F. *See* BRAITHWAITE, V. A.
REID, R. J. *See* THOMPSON, P. M.
RENAUD, F. *See* TROUVÉ, S.
REUTER, M. *See* LINDHOLM, A. M.
RIENGROJPITAK, S., ANDERSON, S. and WILSON, R. A. Induction of immunity to *Schistosoma mansoni*: interaction of schistosomula with accessory leucocytes in murine skin and draining lymph nodes, 301
RIGAUD, T. *See* DUNN, A. M.
RODRÍGUEZ-CONTRERAS, D., SKELLY, P. J., LANDA, A., SHOEMAKER, C. B. and LACLETTE, J. P. Molecular and functional characterization and tissue localization of 2 glucose transporter homologues (TGTP1 and TGTP2) from the tapeworm *Taenia solium*, 579
ROEPSTORFF, A. *See* BOES, J.
ROGNON, A. *See* SIRE, C.
ROLLINSON, D. *See* FERNANDEZ, M.
ROLLINSON, D. *See* KANE, R. A.
ROOS, D. S. *See* SHAW, M. K.

SALKELD, D. J. *See* BRAITHWAITE, V. A.
SANI, R. A. *See* ZHU, X. Q.
SARGENT, K. D. *See* MORGAN, U. M.
SAUL, A. Models for the in-host dynamics of malaria revisited: errors in some basic models lead to large over-estimates of growth rates, 405
SAUVE, C. *See* ELARD, L.
SCHÄRER, L. *See* WEDEKIND, C.
SCHARES, G. *See* HINTZ, M.
SCHLEIN, Y. and JACOBSON, R. L. Resistance of *Phlebotomus papatasi* to infection with *Leishmania donovani* is modulated by components of the infective blood meal, 467
SCHMID-HEMPEL, P. *See* IMHOOF, B.
SCHOFIELD, P. J. *See* KANG, E. W.
SHAKER, Y. M., WU, C. H., EL-SHOBAKI, F. A., ASHOUR, E., KHATTAB, H. M., DRAZ, H. M., KAMEL, R. and WU, G. Y. Human portal serum stimulates cell proliferation in immature *Schistosoma mansoni*, 293
SHAW, C. *See* MAIR, G. R.
SHAW, D. J., GRENFELL, B. T. and DOBSON, A. P. Patterns of macroparasite aggregation in wildlife host populations, 597
SHAW, D. J. *See* VAN AKEN, D.
SHAW, M. K., ROOS, D. S. and TILNEY, L. G. Acidic compartments and rhoptry formation in *Toxoplasma gondii*, 435
SHEHU, K. and NOWELL, F. Cross-reactions between *Eimeria falciformis* and *Eimeria pragensis* in mice induced by trickle infections, 457
SHERMAN, I. W. *See* EDA, S.
SHOEMAKER, C. B. *See* RODRÍGUEZ-CONTRERAS, D.
SIDDIQUE, A. B., AHLBORG, N., WÅHLIN FLYG, B., PERLMANN, P. and BERZINS, K. Antibodies to sequences in a non-repeat region of *Plasmodium falciparum* antigen Pf155/RESA inhibit either cytoadherence or parasite growth *in vitro*, 209
SIRE, C., ROGNON, A. and THERON, A. Failure of *Schistosoma mansoni* to reinfect *Biomphalaria glabrata* snails: acquired humoral resistance or intra-specific larval antagonism, 117
SKELLY, P. J. *See* RODRÍGUEZ-CONTRERAS, D.
SKILTON, R. A., BISHOP, R. P., WELLS, C. W., SPOONER, P. R., GOBRIGHT, E., NKONGE, C., MUSOKE, A. J., MACKLIN, M. and IAMS, K. Cloning and characterization of a 150 kDa microsphere antigen of *Theileria parva* that is immunologically cross-reactive with the polymorphic immunodominant molecule (PIM), 321
SKINNER, T. M., BASCAL, Z. A., HOLDEN-DYE, L., LUNT, G. G. and WOLSTENHOLME, A. J. Immunocytochemical localization of a putative inhibitory amino acid receptor subunit in the parasitic nematodes *Haemonchus contortus* and *Ascaris suum*, 89
SOLENG, A. *See* HARRIS, P. D.
SOUTO-PADRON, T. *See* PAIVA, C. N.
SPANO, F. *See* MORGAN, U. M.
SPOONER, P. R. *See* SKILTON, R. A.
STAHL, W. and KANEDA, Y. Aetiology of thyroidal dysfunction in murine toxoplasmosis, 223
STAHL, W. and KANEDA, Y. Impaired thyroid function in murine toxoplasmosis, 217
STEAR, M. J., BAIRDEN, K., BISHOP, S. C., GETTINBY, G., MCKELLAR, Q. A., PARK, M., STRAIN, S. and WALLACE, D. S. The processes influencing the distribution of parasitic nematodes among naturally infected lambs, 165
STIRM, S. *See* HINTZ, M.
STOTHARD, J. R., FRAME, I. A., CARRASCO, H. J. and MILES, M. A. On the molecular taxonomy of *Trypanosoma cruzi* using riboprinting, 243
STOTHARD, J. R., FRAME, I. A., CARRASCO, H. J. and MILES, M. A. Temperature and gradient gel electrophoresis (TGGE) analysis of riboprints from *Trypanosoma cruzi*, 249
STRAHM, D. *See* WEDEKIND, C.
STRAIN, S. *See* STEAR, M. J.
STURROCK, R. F. *See* OUMA, J. H.
SVOBODOVÁ, M. *See* VOŘÍŠEK, P.

TAKAHASHI, Y. *See* WU, Z.
TANEYHILL, D. E. *See* DUNN, A. M.
TAUBERT, A. *See* HINTZ, M.
TERRY, R. S. *See* DUNN, A. M.
TETLEY, L. *See* JANSSEN, C. S.
THERON, A. *See* SIRE, C.
THOMPSON, P. M., CORPE, H. M. and REID, R. J. Prevalence and intensity of the ectoparasite *Echinophthirius horridus* on harbour seals (*Phoca vitulina*): effects of host age and inter-annual variability in host food availability, 393
THOMPSON, R. C. A. *See* MORGAN, U. M.
TIBAYRENC, M. *See* DUJARDIN, J. C.

TIBAYRENC, M. *See* VICTOIR, K.
TILNEY, L. G. *See* SHAW, M. K.
TINSLEY, R. C. *See* GANNICOTT, A. M.
TINSLEY, R. C. *See* JACKSON, J. A.
TOMLEY, F. M. *See* BUMSTEAD, J. M.
TOPHAM, S. J. *See* BUMSTEAD, J. M.
TROUVÉ, S., RENAUD, F., DURAND, P. and JOURDANE, J. Experimental evidence of hybrid breakdown between genetically distinct populations of *Echinosoma caproni*, 133
TSUKADA, H. *See* NONAKA, N.

VALDEZ, L. *See* VAN AKEN, D.
VAN AKEN, D., VERCRUYSSE, J., DARANTES, A., VALDEZ, L., FLORES, A. and SHAW, D. J. Development of immunity to *Mecistocirrus digitatus* (Nematoda: Trichostrongylidae) in calves, 83
VERCRUYSSE, J. *See* VAN AKEN, D.
VICTOIR, K., BAÑULS, A. L., AREVALO, J., LLANOS-CUENTAS, A., HAMERS, R., NOEL, S., DE DONCKER, S., LE RAY, D., TIBAYRENC, M. and DUJARDIN, J. C. The gp63 gene locus, a target for genetic characterization of *Leishmania* belonging to subgenus *Viannia*, 1
VOŘÍŠIEK, P., VOTÝPKA, J., ZVÁRA, K. and SVOBODOVÁ, M. Heteroxenous coccidia increase the predation risk of parasitized rodents, 521
VOTÝPKA, J. *See* VOŘÍŠIEK, P.

WAGNER, G. *See* ENRIQUEZ, F. J.
WÅHLIN FLYG, B. *See* SIDDIQUE, A. B.
WALLACE, D. S. *See* STEAR, M. J.
WEDEKIND, C., STRAHM, D. and SCHÄRER, L. Evidence for strategic egg production in a hermaphroditic cestode, 373
WEIDONG PENG, ANDERSON, T. J. C., XIANMIN ZHOU and KENNEDY, M. W. Genetic variation in sympatric *Ascaris* populations from humans and pigs in China, 355
WELLS, C. W. *See* SKILTON, R. A.
WERY, M. *See* NGONSEU, E.
WILKIE, G. *See* KIRVAR, E.
WILSON, R. A. *See* RIENGROJPITAK, S.
WOOLHOUSE, M. E. J., ETARD, J.-F., DIETZ, K., NDHLOVU, P. D. and CHANDIWANA, S. K. Heterogeneities in schistosome transmission dynamics and control, 475
WOLSTENHOLME, A. J. *See* SKINNER, T. M.
WU, C. H. *See* SHAKER, Y. M.
WU, Z., NAGANO, I. and TAKAHASHI, Y. The detection of *Trichinella* with polymerase chain reaction (PCR) primers constructed using sequences of random amplified polymorphic DNA (RAPD) or sequences of complementary DNA encoding excretory–secretory (E–S) proteins, 173

XIANG DONG, YOU and MEAD, J. R. Characterization of experimental *Cryptosporidium parvum* infection in IFN-γ knockout mice, 525
XIANMIN ZHOU *See* WEIDONG PENG

ZAHNER, H. *See* HINTZ, M.
ZHU, X. Q., JACOBS, D. E., CHILTON, N. B., SANI, R. A., CHENG, N. A. B. Y. and GASSER, R. B. Molecular characterization of a *Toxocara* variant from cats in Kuala Lumpur, Malasia, 155
ZVÁRA, K. *See* VOŘÍŠIEK, P.

Index of Subjects

Acidic compartments, in *Toxoplasma gondii*, 433
Acquired humoral resistance, a factor in the failure of *Schistosoma mansoni* to reinfect *Biomphalaria glabrata*?, 117
Activation, of infective *Trichinella spiralis* larvae, 363
Aetiology, of thyroid dysfunction in murine toxoplasmosis, 223
Aminergic nervous system, of *Diphyllobothrium dendriticum*, 283
Analysis, of riboprints from *Trypanosoma cruzi*, 249
Anti-exposure monoclonal, effect of on microsporidial development *in vitro*, 515
Antigen Pf155/RESA, antibodies to sequences of inhibit cytoadherence and growth of *Plasmodium falciparum*, 209
Antigenic variability, in *Trichuris trichiura* populations, 347
Anti-giardial activity, a novel method for screening of, *in vitro*, 229
Artemether, susceptibility of Gabonese wild isolates of *Plasmodium falciparum* to, 541
Ascaris lumbricoides, distribution of in humans, and comparison with *Ascaris suum* in pigs, 589
Ascaris populations, genetic variation in sympatric populations of from humans and pigs, 355
Ascaris suum, distribution of in experimentally and naturally infected pigs, 589
inhibitory amino acid receptor subunit in, 89

Behaviour, of *Discocotyle sagittata*, 489
Benzimidazole-resistant and -susceptible *Teladorsagia circumcincta*, fitness of 571
Biomphalaria glabrata, failure of reinfection with *Schistosoma mansoni*, 117
Blood meal, components of modulate resistance of *Phlebotomus papatasi* to *Leishmania donovani*, 467
Bufo marinus, dynamics of natural infections of *Rhabdias* cf. *hylae* in, 505
Bumblebees, *Crithidia bombi* infections in, 331

Campulidae, phylogeny of, based on 18S rRNA sequences, 383
Cats, characterization of a *Toxocara* variant from, in Malaysia, 155
Cell proliferation, stimulation of in immature *Schistosoma mansoni* by human portal serum, 293
Characterization, of *Cryptosporidium* from various hosts, 31
Chemical modification, effects of on the adhesion of *Plasmodium falciparum*-infected and uninfected erythrocytes, 533
Chromosome polymorphism, in geographical populations of *Leishmania* (*Vianna*) *peruviana*, 547
Coccidia, influence of on predation risk of intermediate hosts, 521
Complement, mediates death of *Gyrodactylus salaris*, 137
Congeneric monogeneans, mutual exclusion of, 563
Coproantigen detection, use of in monitoring *Echinococcus multilocularis* infection in red foxes, 193
Cowdria ruminantium, investigation of the epidemiology of by transmission modelling, 49
Crithidia bombi, infections of in bumblebees, 331
Cruzipain, high expression of by avirulent *Trypanosoma cruzi*, 483
Cryptosporidium, molecular characterization of from various hosts, 31
Cryptosporidium parvum, effect of experimental infection of on IFN-γ knockout mice, 525
CuZn superoxide dismutase activities from *Fasciola hepatica*, 555
Cysteine proteinase, high expression of cruzipain by avirulent forms of *Trypanosoma cruzi*, 483
Cytoadherence, inhibition of by antibodies to *Plasmodium falciparum* antigen Pf155/RESA, 209
Cytochrome-*c* oxidase, altered expression of in praziquantel-resistant schistosomes, 63

Desiccation-tolerant mutants of *Heterorhabditis megidis*, biophysical properties of the surface of, 337
Developmental activation, of infective *Trichinella spiralis* larvae, 363
Diagnostic PCR primers, for *Trichinella*, 173
Dimethylaminoethanol, modification of *Litomosoides sigmodontis* excretory/secretory antigen by, 265
Diphyllobothrium dendriticum, nervous system of, 283
Discocotyle sagittata, egg production and development in, 499
environmental effects on the transmission of, 499
larval survival characteristics and behaviour of, 491
Distribution, of *Ascaris suum* in infected pigs, comparison with *Ascaris lumbricoides* infections in humans, 589
of parasitic nematodes in naturally infected lambs, the processes influencing, 165
Drug-resistant malaria, emergence of, 409
Dynamics, of natural infections of *Rhabdias* cf. *hylae* in *Bufo marinus*, 505

Echinococcus granulosus, determination of transmission cycles in, 185
Echinococcus multilocularis, monitoring infections of in red foxes in Japan, 193
Echinophthirius horridus, prevalence and intensity of on harbour seals, 393
Echinostoma caproni, evidence of hybrid breakdown between genetically distinct populations of, 133
Ectoparasites, on harbour seals, factors affecting, 393
Egg production and development, in *Discocotyle sagittata*, 499
Egg production, in a hermaphroditic cestode, 373
Eimeria falciformis, cross-reaction of with *Eimeria pragensis*, 457
Eimeria pragensis, cross-reaction of with *Eimeria falciformis*, 457
Eimeria tenella, immune inhibition of development of *in vitro*, 39
Encephalitozoon spp., effects of an anti-exospore monoclonal antibody on microsporidial development of, *in vitro*, 515
Environmental effects, on the transmission of *Discocotyle sagittata*, 499
Epidemiology, of heartwater infection, 49
Errors, in some models for in-host dynamics of malaria, 405, 409
Erythrocytes, effect of chemical modification on the adhesion of *Plasmodium falciparum* to, 533
Excretory–secretory antigen, production of by *Litomosoides sigmodontis* and modification by dimethylaminoethanol, 265
Excretory–secretory glycoproteins, use of in the detection of *Trichinella* by PCR primers, 173

Fever, analysis of the temperature effects of on the population dynamics of *Plasmodium falciparum*, 97
Fasciola hepatica, CuZn superoxide dismutase activities from, 555
gross anatomy of the muscle systems of, 75
Fitness, of benzimidazole-resistant and -susceptible worms of *Teladorsagia circumcincta*, 571

GABA receptor, immunolocalization of in parasitic nematodes, 89
Gammarus duebeni, parasite transmission strategies in, 21
Genetic characterization, of *Leishmania* subgenus *Viannia*, 1
Genetic variation, in sympatric *Ascaris* populations from humans and pigs, 355

Giardia intestinalis, a novel method for screening of *in vitro*, 229
tsa 417-like variant-specific surface protein (VSP) genes of, 445
Glucose transporter homologues, from *Taenia solium*, 579
gp63 gene locus, use of to characterize *Leishmania* of the subgenus *Viannia*, 1
Gyrodactylus salaris, killing of by host complement, 137

Haemonchus contortus, inhibitory amino acid receptor subunit in, 89
Harbour seals, factors affecting burdens of the ectoparasite *Echinophthirius horridus* on, 393
Heartwater, investigation of the epidemiology of by transmission modelling, 49
Hepatic stages, of *Plasmodium berghei*, 419
Hermaphroditic cestodes, evidence for strategic egg production in, 373
Heterorhabditis bacteriophora, active resistance of to insect immunity, 201
Heterorhabditis megidis, studies on the surface of desiccation-tolerant forms of, 337
Host environment, influence of on *Crithidia bombi* infections in bumblebees, 331
Hyalomma anatolicum anatolicum, maturation and quantification of *Theileria lestoquardi* in, 255
Hybrid breakdown, evidence of between genetically distinct populations of *Echinostoma caproni*, 133

IFN-γ knockout mice, experimental *Cryptosporidium parvum* infection of, 525
Immigrants, development of schistosomiasis mansoni in, 123
Immune inhibition, of *Eimeria tenella* development *in vitro*, 39
Immunity, to *Mecistocirrus digitatus*, in calves, 83
to *Schistosoma mansoni*, induction of, 301
Infection rates, of *Theileria lestoquardi* in *Hyalomma anatolicum anatolicum*, 255
Inhibition, of *Eimeria tenella* in cultured bovine kidney cells, 39
Insect immunity, active resistance of *Heterorhabditis bacteriophora* to, 201
Interspecific covariation, study of in reindeer, *Rangifer tarandus* (L.), 273
Invasion, of erythrocytes by *Plasmodium falciparum* merozoites, 425
Isoenzyme polymorphism, in geographical populations of *Leishmania* (*Vianna*) *peruviana*, 547

Kallikrein-like activity, purification of from *Schistosoma mansoni*, 311
Kininogenase, purification of from *Schistosoma mansoni*, 311

Larval antagonism, a factor in the failure of *Schistosoma mansoni* to reinfect *Biomphalaria glabrata*?, 117
Larval survival, characteristics of in *Discocotyle sagittata*, 491
Learning, in *Strongyloides ratti*-infected rodents, 145
Leishmania donovani, resistance of *Phlebotomus papatasi* to, 467
Leishmania (*Vianna*) *peruviana*, chromosome and isoenzyme polymorphism in geographical populations of, 547
Leishmania Viannia subgenus, genetic characterization of by the gp63 gene locus, 1
Litomosoides sigmodontis, production of an excretory/secretory antigen highly modified with dimethylaminoethanol by, 265

Macroparasite aggregation, patterns of in wildlife host populations, 597
Malaria, emergence of drug-resistant forms of, 411
Malaysian cats, molecular characterization of a *Toxocara* variant from, 155
Mecistocirrus digitatus, development of immunity to in calves, 83
Memory, in *Strongyloides ratti*-infected rodents, 145
Microsphere antigen, cloning and characterization of from *Theileria parva*, 321
Microsporidial development, effect of an anti-exospore monoclonal antibody on *in vitro*, 515
Microtubules, role of in invasion of erythrocytes by *Plasmodium falciparum* merozoites, 425
Model, to describe heterogeneities in schistosome transmission dynamics, 475
to describe the emergence of drug-resistant malaria, 411
Models, for in-host dynamics of malaria, errors in some, 405, 409
Molecular characterization, of *Cryptosporidium* from various hosts, 31
of 2 glucose transporter homologues from *Taenia solium*, 579
Molecular taxonomy, of *Trypanosoma cruzi*, using riboprinting, 243
Murine toxoplasmosis, impaired thyroid function in, 217, 223
Muscle systems of *Fasciola hepatica*, gross anatomy of, 75
Mutual exclusion, of two congeneric monogeneans, 563

NADPH-diaphorase staining, in the nervous system of *Diphyllobothrium dendriticum*, 283
Nematodes, factors influencing the distribution of among naturally infected lambs, 165
Novel locus, in genetic Group II isolates of *Giardia intestinalis*, 445

Ostertagia circumcincta, processes influencing the distribution of in lambs, 165

Parasite aggregation, patterns of in wildlife host populations, 597
Parasite growth, inhibition of by antibodies to *Plasmodium falciparum* antigen Pf155/RESA, 209
PCR primers, use of in the detection of *Trichinella*, 173
Peptidergic nervous system, of *Diphyllobothrium dendriticum*, 283
Phlebotomus papatasi, resistance of to *Leishmania donovani*, 467
Phoca vitulina, prevalence and intensity of the ectoparasite *Echinophthirius horridus* on, 393
Phylogenetic relationships, of the Campulidae family, 383
Plasmodium berghei, blocked hepatic stages of, 419
Plasmodium falciparum, analysis of the temperature effects of fever on the population dynamics of, 97
effects of chemical modification on the adhesion of, 533
inhibition of the growth and cytoadherence of by antibodies to Pf155/RESA, 209
microtubules in merozoites of, 425
susceptibility of Gabonese wild isolates of to artemether, 541
Polymorphic immunodominant molecule (PIM), cloning of an immunologically cross-reactive molecule from *Theileria parva*, 321
Population dynamics, of *Ascaris* spp. infections, 589
of *Plasmodium falciparum*, analysis of temperature effects of fever on, 97
Praziquantel-resistant schistosomes, altered cytochrome-*c* oxidase in, 63
Predation risk, effects of heteroxenous coccidia on in parasitized rodents, 521

Rangifer tarandus (L.), covariation of macroparasites of, 273
Red fox, monitoring infection of with *Echinococcus multilocularis* in Japan, 193
Reindeer parasites, covariation of, 275
Resistance, of *Heterorhabditis bacteriophora* to insect immunity, 201
of *Phlebotomus papatasi*, to infection with *Leishmania donovani*, 467
Rhabdias cf. *hylae*, dynamics of natural infections of in *Bufo marinus*, 505

Rhoptry formation, in *Toxoplasma gondii*, 435
Riboprinting, use of in the molecular taxonomy of *Trypanosoma cruzi*, 243
Ribosomal intergenic spacer, of *Schistosoma* spp., 235
18S rRNA sequences, use of to study phylogenetic relationships of the Campulidae family, 383
Rodents, effect of *Strongyloides ratti* infection on memory and learning in, 145

Schistocephalus solidus, evidence for strategic egg production in, 373
Schistosoma mansoni, cytochrome-*c* oxidase alterations in praziquantel-resistant strains of, 63
failure to reinfect *Biomphalaria glabrata* with, 117
induction of immunity to, 301
purification of kininogenase activity from, 311
stimulation of cell proliferation in, by human portal serum, 293
Schistosoma spp., comparison of the ribosomal intergenic spacers of, 235
Schistosome transmission dynamics, heterogeneities in, 475
Schistosomiasis mansoni, development of in an immunologically naive immigrant population, 123
Schistosomula, interaction of with accessory leucocytes, 301
Screening, of *Giardia intestinalis* and anti-giardial activity *in vitro*, 229
Serum, stimulation of cell proliferation in schistosomula by, 293
Sequences, of the ribosomal intergenic spacers of *Schistosoma* spp., 235
Sex ratio distorters, transfer of between crustacean hosts, 15
Sheath, of *Heterorhabditis megidis*, composition and properties of, 337
Species interactions, multiple forms of in *Eimeria* spp., 457
Src-family kinases, in bovine T cells transformed by *Theileria parva*, 107
Strategic egg production, in *Schistocephalus solidus*, 373
Strongyloides ratti infection, effect of on learning and memory in rodents, 145
Superoxide dismutase activities, from *Fasciola hepatica*, 555
Susceptibility, of Gabonese wild isolates of *Plasmodium falciparum* to artemether, 541
of *Gyrodactylus salaris* to host complement, 137
to *Plasmodium berghei*, 419
Sympatric *Ascaris* populations, genetic variation in, 355

Taenia solium, glucose transporter homologues from, 579
T cell transformation, induced by *Theileria parva*, 107
Teladorsagia circumcincta, fitness of benzimidazole-resistant and -susceptible worms of, 571
Temperature gradient gel electrophoresis (TGGE), use of for analysis of riboprints from *Trypanosoma cruzi*, 249
Theileria lestoquardi, maturation and quantification of in *Hyalomma anatolicum anatolicum* ticks, 255
Theileria parva, cloning and characterization of a microsphere antigen from, 321
T cell transformation by, 107
Thyroid function, impairment of in murine toxoplasmosis, 217, 223
Ticks, maturation and quantification of *Theileria lestoquardi* in, 255
Tissue localization, of 2 glucose transporter homologues from *Taenia solium*, 579
Toxocara variant, molecular characterization of, from Malaysian cats, 155
Toxoplasma gondii, acidic compartments and rhoptry formation in, 435
impaired thyroid function associated with, 217, 223
Transfer, of parasitic sex ratio distorters between crustacean hosts, 15
Transmission cycles in *Echinococcus granulosus*, determination of, 185
Transmission dynamics, in schistosomes, heterogeneities in, 475
Transmission modelling, use of to investigate the epidemiology of heartwater, 49
Transmission strategies in *Gammarus duebeni*, 21
Trichinella, detection of by PCR, 173
Trichinella spiralis, developmental activation of the infective larvae of, 363
Trichuris trichiura populations, antigenic variability in, 347
Trickle infections, induce cross-reaction between *Eimeria falciformis* and *E. pragensis*, 457
Trypanosoma cruzi, high expression of cruzipain by avirulent forms of, 483
molecular taxonomy of using riboprinting, 243
tsa 417-like VSP genes, of *Giardia intestinalis*, 445
Tyrosine kinases, modulation of in bovine T cells transformed by *Theileria parva*, 107

Variant-specific surface protein (VSP), comparison of *tsa 417*-like genes of in *Giardia intestinalis*, 445

Water contact, role of in the development of schistosomiasis mansoni in immigrant populations, 123
Wildlife host populations, patterns of macroparasite aggregation in, 597